




WORKERS' GUIDE TO HAND SIGNALS FOR DIRECTING VEHICLES

EDITION » 2.1
REVISED » May 2018
RELEASE DATE » February 2014



ACKNOWLEDGEMENT

This document was developed by Energy Safety Canada with the support of industry. Energy Safety Canada gratefully acknowledges the many individuals who volunteered their time and effort on behalf of:

- Canadian Association of Geophysical Contractors (CAGC)
- Canadian Association of Oilwell Drilling Contractors (CAODC)
- Canadian Association of Petroleum Producers (CAPP)
- Canadian Energy Pipeline Association (CEPA)
- Explorers and Producers Association of Canada (EPAC)
- Petroleum Services Association of Canada (PSAC)

ABOUT ENERGY SAFETY CANADA

Energy Safety Canada is the upstream oil and gas industry's advocate and leading resource for the continuous improvement of safety performance. Our mission is to help companies achieve their safety goals by providing practices, assessment, training, support, metrics and communication.

AVAILABILITY

This document as well as future revisions and additions, is available from:

Energy Safety Canada
5055 11 Street NE
Calgary, Alberta T2E 8N4

TF 1 800 667 5557
T 403 516 8000
F 403 516 8166

EnergySafetyCanada.com



DISCLAIMER

This document is intended to be flexible in application and provide guidance to users rather than act as a prescriptive solution. Recognizing that one solution is not appropriate for all users and situations, it presents generally accepted guidelines that apply to industry situations, as well as recommended practices that may suit a company's particular needs. While we believe that the information contained herein is reliable under the conditions and subject to the limitations set out, Energy Safety Canada does not guarantee its accuracy. The use of this document or any information contained will be at the user's sole risk, regardless of any fault or negligence of Energy Safety Canada and the participating industry associations.

COPYRIGHT/RIGHT TO PRODUCE

Copyright for this document is held by Energy Safety Canada, 2018. All rights reserved. Energy Safety Canada encourages the copying, reproduction and distribution of this document to promote health and safety in the workplace, provided that Energy Safety Canada is acknowledged. However, no part of this publication may be copied, reproduced or distributed for profit or other commercial enterprise, nor may any part be incorporated into any other publication, without the written permission of Energy Safety Canada.

PREFACE

PURPOSE

This document has been developed to improve the safety of personnel and equipment when vehicles need to be moved with the help of a guide. It provides guidance for promoting improved communication between the driver and the guide through a standard set of directional signals and rules of conduct.

PROJECT SCOPE AND LIMITATIONS

The hand signals described in the document are designed to provide visual guidance to the operator of the vehicle. The hand signals relate to driving and stopping the vehicle, and apply to both backward and forward movement.

The hand signals apply to the movement of vehicles only. The operation of truck-mounted equipment, such as cranes and winches, is beyond the scope of the document.

The signals included are not meant to be all-encompassing, but rather to provide a set of basic signals for the driver and guide. Other signals may be needed in particularly difficult areas, and these must be discussed and agreed upon in advance by the driver and the guide. These hand signals are consistent with regulations in the provinces of British Columbia, Alberta, Saskatchewan and Manitoba.

BACKGROUND

Industry Recommended Practice 12 (IRP 12) was developed in 2000, at the request of the Canadian Association of Geophysical Contractors. It was created by an industry working committee consisting of the Alberta Trucking Industry Safety Association, the Canadian Association of Geophysical Contractors, the Canadian Association of Oilwell Drilling Contractors, and the Petroleum Services Association of Canada, with the support of the Canadian Petroleum Safety Council.

The committee's mandate was to develop a standard set of visual signals for use when vehicles must be positioned, and a guide provides directions to the driver. Thanks to the individuals, companies, and associations that gave freely of their time and energy to provide the invaluable support necessary for the completion of the project.

The IRP 12 document was scheduled for review in 2011. As a result of this review, the Enform Advisory Committee withdrew IRP 12 and replaced it with the Workers' Guide to Hand Signals for Directing Vehicles.

TABLE OF CONTENTS

| | | |
|-----|--|---|
| 1.0 | General Duty to Prevent Harm | 1 |
| 2.0 | Key Principles and Responsibilities | 2 |
| 3.0 | On the Job Hazard Identification, Risk Assessment, and Control | 2 |
| 4.0 | General Guidelines | 3 |
| 5.0 | Signals..... | 4 |
| 6.0 | Other Safety Considerations | 8 |



1.0 General Duty to Prevent Harm

Moving vehicles are a potential source of serious harm to people. Incidents associated with moving vehicles and equipment can cause costly damage. All workers are required by law to identify potential hazards in their work environment, and to minimize the potential for harm by using controls that will reduce risk.

This document outlines guiding principles and a set of hand signals. Employers may choose to use the signals as part of overall hazard identification, risk assessment, and hazard control plan, within the safety management system.

Hazard identification, risk assessment, and risk control are dynamic processes. The level of risk to which workers are exposed is constantly changing. For example:

- New drivers and workers have different levels of knowledge or experience
- Personnel from different companies may use different work procedures
- Toward the end of a workday, attention and awareness levels may wane
- As work sites change, so may congestion points or traffic management plans
- Some people may be unaware of the risk of serious injury from being struck by a vehicle
- An unforeseen or unplanned event may occur
- Vehicles may develop faults

These hand signals have been developed by industry, for the industry, so that employers can implement them into their hazard management systems and safe operating procedures with confidence.

Co-operation and clear, consistent communication between drivers and guides can minimize the potential for harm or damage.

2.0 Key Principles and Responsibilities

The driver is ultimately responsible for the safe operation and movement of the vehicle:

- Whenever possible, the vehicle shall be positioned to minimize movement in reverse
- Extreme caution shall be exercised when moving a vehicle. Whenever possible, a guide should assist the driver
- The driver takes direction and guidance from the guide
- The guide must always be fully visible to the driver. If the guide is not fully visible, the driver must stop
- Guides shall wear high-visibility clothing (e.g., reflective striping). See CAN/CSA Z96 High Visibility Safety Apparel Standard
- Drivers shall not permit anyone to ride on the running boards, fenders, or any other part of the vehicle except on the seats provided
- No one should cross or step behind a vehicle when the backup warning device is activated

3.0 On the Job Hazard Identification, Risk Assessment, and Control

Before moving a vehicle:

- Plan a path that minimizes the need to drive in reverse
- Conduct a visual inspection of the desired path
- Identify potential hazards in the path of the vehicle, such as overhead lines, ruts, wellhead, or personnel
- Once you identify the hazards, assess the risk of harm and implement control measures

4.0 General Guidelines

When backing up, drivers should do the following:

- Use a guide whenever possible
- Stop backing up immediately under any of these conditions:
 - The guide is not fully visible
 - Visual contact with other workers is lost
 - An emergency stop signal is received from anyone in the area
- Resume backing up only after visual contact with the guide or workers on foot is restored and acknowledged
- Sound the horn before starting to move the vehicle
- Stop all vehicle movement while the guide is repositioning

Guides should do the following:

- Remain visible to the driver
- Wear high-visibility clothing. See CAN/CSA Z96 High Visibility Safety Apparel Standard
- Establish and maintain eye contact with the driver
- Position yourself to maintain as clear a view as possible of the intended path of the vehicle
- Stay clear of the path of the vehicle
- Never stand behind a reversing vehicle
- Avoid walking backward
- Use standard hand signals to communicate with the driver
- Be sure that no one is riding on the outside of the vehicle before signalling to the driver to begin moving
- Immediately signal to the driver to stop if any person or object enters the vehicles intended path
- Signal to the driver to stop if you must change position. Reposition, and when ready, signal to the driver to continue
- Use distinct and deliberate body movements
- Be aware of blind spots
- Protect yourself, and be aware of crush points

Other workers should do the following:

- Remember that large vehicles have significant blind spots
- Remain clear of the vehicle unless acting as a guide
- Make eye contact with the driver to ensure he or she knows that you are there
- Never cross or step behind the vehicle when it is backing up or when its backup signals are on

5.0 Signals

When it's necessary to move a vehicle, everyone must understand exactly what is going to be done. This will help preserve the safety of everyone involved in the operation. There should be no confusion about the hand signals to be used.

Make sure that all workers involved understand who is directing the move and the procedures to be followed. Review all the hazards associated with the move and the control measures being used to minimize or eliminate the risk of potential harm.

Designate one guide, so there is no confusion in the signalling procedures. The following illustrates the eight basic signals to assist in vehicle repositioning:

PROCEED SLOWLY



FORWARD

Always face palms in direction of travel



BACKWARD

Bend both arms repeatedly toward head and chest, then extend

TURNS



Point one arm to indicate the direction to turn



Bend monitoring arm repeatedly toward head to indicate continued turning

DISTANCE TO STOPPING POINT



Face palms forward with hands above head
Bring elbows forward and hands together

STOP



Cross both arms above head

EMERGENCY STOP




Cross both arms above head
Extend downward repeatedly until vehicle stops

CLEAR TO LEAVE AREA



Point at the driver and gain eye contact



Turn and extend arms in desired direction

6.0 Other Safety Considerations

Keep in mind the following general considerations:

- Fit reversing beepers, reversing cameras, and other backup warning devices where it makes sense to do so
- Use a guide even if backup warning devices are in place
- Minimize foot traffic. Cordon off an area if necessary
- If you must have workers and vehicles working in the same area, consider establishing a traffic control system
- External workers coming onto a work site increase the risk of incident. Never assume that new personnel know how to be safe around moving vehicles
- Consider the increased risk associated with an unplanned or unforeseen event

If no guide is available, the driver should do the following:

- Check the intended path of the vehicle
- If necessary, get out of the vehicle and visually inspect the site
- Back up immediately, do not trust the scene to remain as it was when you checked
- Sound your horn before starting to move
- Back up slowly
- Place a marker a safe distance behind your vehicle, and then back up to it
- As you back up, check all mirrors, including both side mirrors
- Avoid backing up to your blind side; the blind side is the passenger door side
- Don't back up further than necessary
- If in doubt, stop and get out, check the intended path careful

CALGARY

T 403 516 8000 5055 11 Street NE
F 403 516 8166 Calgary, AB T2E 8N4

NISKU

T 780 955 7770 1803 11 Street
F 780 955 2454 Nisku, AB T9E 1A8

FORT MCMURRAY

T 780 791 4944 Box 13 - 8115 Franklin Avenue
F 780 715 3945 Fort McMurray, AB T9H 2H7

BRITISH COLUMBIA

T 250 785 6009 2060 - 9600 93 Avenue
F 250 785 6013 Fort St. John, BC V1J 5Z2

SASKATCHEWAN

T 306 842 9822 208 - 117 3 Street
F 306 337 9610 Weyburn, SK S4H 0W3

Info@EnergySafetyCanada.com
Enrolment Services and Certificate of Recognition:
1 800 667 5567

EnergySafetyCanada.com

